



# SAFETY DATA SHEET

## Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

### 1. IDENTIFICATION

<b>Product Name</b>	Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)
<b>Other Names</b>	AC-100, AC-250, Potassium Acetate, Class K
<b>Recommended use of the chemical and restrictions on use</b>	
<b>Identified uses</b>	Fire Extinguishing Agent
<b>Restrictions on use</b>	Do not use on electrically energized equipment. Consult applicable fire protection codes.
<b>Company Identification</b>	Badger Fire Protection 1016 Corporate Park Drive Mebane, NC 27302 USA
<b>Customer Information Number</b>	(434)-964-3200
<b>Emergency Telephone Number</b>	
<b>CHEMTREC Number</b>	(800) 424-9300 (703) 527-3887 (International)
<b>Issue Date</b>	March 6, 2025
<b>Supersedes Date</b>	July 11, 2019

*Safety Data Sheet prepared in accordance with OSHA's Hazard Communication Standard (29 CFR 1910.1200, the Canadian Hazardous Products Regulations (HPR) and the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)*

### 2. HAZARD IDENTIFICATION

This SDS covers the product listed above as sold in pressurized and non-pressurized containers. GHS classifications for both forms are listed below.

#### GHS Classification – Pressurized

##### **Hazard Classification**

Gas under pressure – Compressed gas

##### **Label Elements**

Hazard Symbols



Signal Word: Warning

##### **Hazard Statements**

Contains gas under pressure; may explode if heated.

##### **Precautionary Statements**

###### **Prevention**

None

###### **Response**

None



# SAFETY DATA SHEET

## Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

---

### 2. HAZARD IDENTIFICATION

---

**Storage**

Protect from sunlight.  
Store in well-ventilated place.

**Disposal**

None

**GHS Classification: Non - pressurized****Hazard Classification**

This product is classified as not hazardous in accordance with the Globally Harmonized System of Classification and Labelling (GHS).

**Label Elements**

Hazard Symbols  
None

Signal Word: None

**Hazard Statements**

None

**Precautionary Statements****Prevention**

None

**Response**

None

**Storage**

None

**Disposal**

None

**Other Hazards**

Possible electrocution hazard if used on electrically energized equipment.

**Specific Concentration Limits**

The values listed below represent the percentages of ingredients of unknown toxicity.

Acute oral toxicity	0%
Acute dermal toxicity	0%
Acute inhalation toxicity	0%
Acute aquatic toxicity	0%

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

This product is a mixture.

**Component**

Potassium Acetate

**CAS Number**

127-08-2

**Concentration\***

30 - 60%

**Note: Pressurized product uses nitrogen or compressed air as the expellant.**

\*Exact concentration withheld as trade secret.



# SAFETY DATA SHEET

## Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

---

### 4. FIRST- AID MEASURES

---

#### Description of necessary first-aid measures

##### Eyes

Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.

##### Skin

Wash skin thoroughly with soap and water. Obtain medical attention if irritation persists.

##### Ingestion

Dilute by drinking large quantities of water and obtain medical attention.

##### Inhalation

Move victim to fresh air. Obtain medical attention immediately for any breathing difficulty.

#### Most important symptoms/effects, acute and delayed

Aside from the information found under Description of necessary first aid measures (above) and Indication of immediate medical attention and special treatment needed, no additional symptoms and effects are anticipated.

#### Indication of immediate medical attention and special treatment needed

##### Notes to Physicians

Treat symptomatically.

---

### 5. FIRE - FIGHTING MEASURES

---

#### Suitable Extinguishing Media

This preparation is used as an extinguishing agent and therefore is not a problem when trying to control a fire. Use extinguishing agent appropriate to other materials involved. Keep pressurized containers and surroundings cool with water spray as they may rupture or burst in the heat of a fire.

#### Specific hazards arising from the chemical

Pressurized containers may explode in heat of fire.

#### Special Protective Actions for Fire-Fighters

Wear full protective clothing and self-contained breathing apparatus as appropriate for specific fire conditions.

---

### 6. ACCIDENTAL RELEASE MEASURES

---

#### Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Prevent skin and eye contact. Remove leaking container to a safe place. Ventilate the area.

#### Environmental Precautions

Prevent large quantities of the material from entering drains or watercourses.

#### Methods and materials for containment and cleaning up

Contain and absorb using appropriate inert material. Transfer into suitable containers for recovery or disposal.



# SAFETY DATA SHEET

## Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

---

### 7. HANDLING AND STORAGE

---

#### Precautions for safe handling

Wear appropriate protective clothing. Prevent skin and eye contact.

#### Conditions for safe storage

Pressurized containers should be properly stored and secured to prevent falling or being knocked over. Do not drag, slide or roll pressurized containers. Do not drop pressurized containers or permit them to strike against each other. Never apply flame or localized heat directly to any part of the pressurized or plastic container. Store pressurized and plastic containers away from high heat sources. Storage area should be:  
- cool - dry - well ventilated - under cover - out of direct sunlight

---

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

#### Control parameters

Exposure limits are listed below, if they exist.

#### Potassium Acetate

None

#### Appropriate engineering controls

Use with adequate ventilation. If this product is used in a pressurized system, there should be local procedures for the selection, training, inspection and maintenance of this equipment. When used in large volumes, use local exhaust ventilation.

#### Individual protection measures

##### Respiratory Protection

Not normally required. In oxygen deficient atmospheres, use a self contained breathing apparatus, as an air purifying respirator will not provide protection.

##### Skin Protection

Gloves

##### Eye/Face Protection

Chemical goggles or safety glasses with side shields.

##### Body Protection

Normal work wear.

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

---

#### Non- Pressurized

##### Appearance

	<b>Physical State</b>	Liquid
	<b>Color</b>	Clear or blue
<b>Odor</b>		Odorless
<b>Odor Threshold</b>		Not applicable
<b>pH</b>		No data available
<b>Specific Gravity</b>		1.19-1.24
<b>Boiling Range/Point (°C/F)</b>		100/212
<b>Melting Point (°C/F)</b>		No data available
<b>Flash Point (PMCC) (°C/F)</b>		Not flammable
<b>Vapor Pressure</b>		Not applicable
<b>Evaporation Rate (BuAc=1)</b>		No data available
<b>Solubility in Water</b>		Soluble



**SAFETY DATA SHEET**  
**Wet Chemical Solution**  
**(Fire Extinguishing Agent, Pressurized and Non-pressurized)**

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

Vapor Density (Air = 1)	Not applicable
VOC (g/l)	None
VOC (%)	None
Partition coefficient (n-octanol/water)	No data available
Viscosity	No data available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not applicable
Upper explosive limit	Not applicable
Lower explosive limit	Not applicable
Flammability (solid, gas)	Not applicable

**Expellant - Nitrogen**

**Appearance**

<b>Physical State</b>	Compressed gas
<b>Color</b>	Colorless
<b>Odor</b>	None
<b>Odor Threshold</b>	No data available
<b>pH</b>	Not applicable
<b>Specific Gravity</b>	0.075 lb/ft <sup>3</sup> @70°F as vapor
<b>Boiling Range/Point (°C/F)</b>	-196°C/-321°F
<b>Melting Point (°C/F)</b>	No data available
<b>Flash Point (PMCC) (°C/F)</b>	Not flammable
<b>Vapor Pressure</b>	No data available
<b>Evaporation Rate (BuAc=1)</b>	No data available
<b>Solubility in Water</b>	No data available
<b>Vapor Density (Air = 1)</b>	Not applicable
<b>VOC (g/l)</b>	None
<b>VOC (%)</b>	None
<b>Partition coefficient (n-octanol/water)</b>	No data available
<b>Viscosity</b>	Not applicable
<b>Auto-ignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Upper explosive limit</b>	Not explosive
<b>Lower explosive limit</b>	Not explosive
<b>Flammability (solid, gas)</b>	Not flammable

---

**10. STABILITY AND REACTIVITY**

---

**Reactivity**

Pressurized containers may rupture or explode if exposed to heat.

**Chemical Stability**

Stable under normal conditions.

**Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**Conditions to Avoid**

Exposure to direct sunlight - contact with incompatible materials



# SAFETY DATA SHEET

## Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

---

### 10. STABILITY AND REACTIVITY

---

#### Incompatible Materials

Strong oxidizing agents – water reactive materials

#### Hazardous Decomposition Products

Oxides of carbon - potassium

---

### 11. TOXICOLOGICAL INFORMATION

---

#### Acute Toxicity

##### Potassium Acetate

Oral LD50 (Rat) 3250 mg/kg

Dermal LD50 (Rabbit) >20,000 mg/kg (analogous compound)

Inhalation LC50(rat) >5.6 mg/l (analogous compound)

##### Nitrogen

Simple asphyxiant

#### Specific Target Organ Toxicity (STOT) – single exposure

Potassium Acetate: No data available

Nitrogen: Exposure to nitrogen gas at high concentrations can cause suffocation by reducing oxygen available for breathing. Breathing very high concentrations can cause dizziness, shortness of breath, unconsciousness or asphyxiation.

#### Specific Target Organ Toxicity (STOT) – repeat exposure

Potassium Acetate: No data available

#### Serious Eye damage/Irritation

Potassium Acetate: Not irritating (rabbit)

#### Skin Corrosion/Irritation

Potassium Acetate Not irritating (rabbit)

#### Respiratory or Skin Sensitization

Potassium Acetate: Available data indicates this component is not expected to cause skin sensitization. No data available for respiratory sensitization.

#### Carcinogenicity

Not considered carcinogenic by NTP, IARC, and OSHA.

#### Germ Cell Mutagenicity

Potassium Acetate: Available data indicates this component is not expected to be mutagenic.

#### Reproductive Toxicity

Potassium Acetate: Available data indicates this component is not expected to cause reproductive toxicity or birth defects.

#### Aspiration Hazard

Not an aspiration hazard.



# SAFETY DATA SHEET

## Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

---

### 12. ECOLOGICAL INFORMATION

---

#### Ecotoxicity

Potassium Acetate:

LC50 Zebrafish 1497 mg/l 96h

EC50 Daphnia magna 420 mg/l 48h

EC50 Mann diatom 500 mg/l 72hr

#### Mobility in soil

No relevant studies identified.

#### Persistence/Degradability

No relevant studies identified.

#### Bioaccumulative Potential

No relevant studies identified.

#### Other adverse effects

No relevant studies identified.

---

### 13. DISPOSAL CONSIDERATIONS

---

#### Disposal Methods

Dispose of container in accordance with all applicable local and national regulations.

---

### 14. TRANSPORT INFORMATION

---

Safety Data Sheet information is intended to address a specific material and not various forms or states of containment.

#### Special Precautions for Shipping:

Individuals must be certified as Hazardous Material Shipper for all transportation modes.

Pressurized Fire Extinguishers are considered a hazardous material by the US Department of Transportation and Transport Canada.

<b>DOT CFR 172.101 Data</b>	Fire extinguishers, 2.2, UN1044
<b>UN Proper Shipping Name</b>	Fire extinguishers
<b>UN Class</b>	(2.2)
<b>UN Number</b>	UN1044
<b>UN Packaging Group</b>	Not applicable
<b>Classification for AIR Transportation (IATA)</b>	Consult current IATA Regulations prior to shipping by air.
<b>Classification for Water Transport IMDG</b>	Consult current IMDG Regulations prior to shipping by water.

When shipping via ground, portable fire extinguishers pressurized to less than 241 psi and of less than 1100 cubic inches in size meet the requirements of "Limited Quantity" as referenced in 49 CFR 173.309 (2010). There is no limited quantity designation for fire extinguishers when shipped by air or water. This section is believed to be accurate at the time of preparation. It is not intended to be a complete statement or summary of the applicable laws, rules, or hazardous material regulations, and is subject to change. Users have the responsibility to confirm compliance with all laws, rules, and hazardous material regulations in effect at the time of shipping.



# SAFETY DATA SHEET

## Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

---

### 15. REGULATORY INFORMATION

---

#### United States TSCA Inventory

This product contains ingredients that are listed on or exempt from listing on the EPA Toxic Substance Control Act Chemical Substance Inventory.

#### Canada DSL Inventory

All ingredients in this product are listed on the Domestic Substance List (DSL) or the Non-Domestic Substance List (NDSL) or are exempt from listing.

#### SARA Title III Sect. 311/312 Categorization: Pressurized

Gas under pressure

#### SARA Title III Sect. 311/312 Categorization: Non-pressurized

None

#### SARA Title III Sect. 313

This product does not contain any chemicals that are listed in Section 313 at or above de minimis concentrations.

---

### 16. OTHER INFORMATION

---

#### NFPA Ratings

NFPA Code for Health - 1

NFPA Code for Flammability - 0

NFPA Code for Reactivity - 0

NFPA Code for Special Hazards - None

#### Legend

ACGIH: American Conference of Governmental Industrial Hygienists

CAS#: Chemical Abstracts Service Number

EC50: Effect Concentration 50%

IARC: International Agency for Research on Cancer

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

N/A: Denotes no applicable information found or available

OSHA: Occupational Safety and Health Administration

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substance Control Act

Revision Date: March 6, 2025

Replaces: July 11, 2019

Changes made: Update to sections 1 and 16.

#### Information Source and References

This SDS is prepared by Hazard Communication Specialists based on information provided by internal company references.





# SAFETY DATA SHEET

## Wet Chemical Solution (Fire Extinguishing Agent, Pressurized and Non-pressurized)

---

### 16. OTHER INFORMATION

---

The information and recommendations presented in this MSDS are based on sources believed to be accurate. Badger Fire Protection assumes no liability for the accuracy or completeness of this information. It is the user's responsibility to determine the suitability of the material for their particular purposes. In particular, we make **NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED**, with respect to such information, and we assume no liability resulting from its use. Users should ensure that any use or disposal of the material is in accordance with applicable Federal, State, and local laws and regulations.

---